



Template CE mark for Concrete Protection Products

This mark has been drafted in accordance with EN 1504-2.


SINAK Corporation. 4901 Morena Boulevard #601 San Diego CA 92117 USA
19 EN 1504-2 SINAK S-102 AA102
Concrete Surface Protection Product
Impregnation – Ingress Protection, Moisture Control, Physical Resistance
Depth of Penetration Class II; 38.1mm
Water Retention: 0.34kg/m ² Capillary Absorption and Permeability to water: 144.9 ml/hr/9.29m ² Abrasion Resistance: 38% Improvement over control, 21% Improvement in Depth Of Wear Adhesion Strength: 0.9 MPa Loss of mass after freeze-thaw cycles: None Water Absorption and Resistance to Alkali as: Absorption Ratio <7% Compared to untreated specimen Absorption Ratio <10% after immersion in alkali solution Diffusion of Chloride Ions: 0.02 – 1.13kgs / m ³
Dangerous Substances comply with 5.4 and REACH
Reaction to Fire: Class A1


Betono apsaugos gaminių „CE“ ženklui skirtas šablonas

Šis ženklas sukurtas pagal EN 1504-2.


SINAK Corporation. 4901 Morena Boulevard #601 San Diego CA 92117 USA / JAV
19 EN 1504-2 SINAK S-102 AA102
Betono paviršiaus apsaugos gaminys Impregnavimas – įsiskverbimo apsauga, drėgmės kontrolė, fizinis atsparumas
II įsiskverbimo klasės gylis; 38,1 mm
Vandens sulaikymas: 0,34 kg/m ² Kapiliarų absorbcija ir vandens pralaidumas: 144,9 ml/val./9,29 m ² Atsparumas dilimui: 38 % geresnė kontrolė, 21 % padidintas dilimo sukibimo jėgos gylis: 0,9 MPa Masės praradimas po šaldymo-atšildymo ciklą: nėra Vandens absorbcija ir atsparumas šarmams: absorbcijos santykis <7 % palyginti su neapdorotu bandiniu absorbcijos santykis <10 % panardinus į šarmo tirpalą Chlorido jonų difuzija: 0,02 – 1,13 kg / m ³
Pavojingos medžiagos atitinka 5.4 ir REACH reikalavimus
Reakcija į ugnį: A1 klasė

Aš, vertėjas Oleg Nikitin tvirtinu, kad šis vertimas yra tikslus ir teisingas.

Su Lietuvos Respublikos baudžiamojo kodekso 235 straipsniu, numatančiu atsakomybę už sąmoningai melagingą vertimą, esu susipažinęs.



2020-02-18

UAB „Domus Lingua“

Geležinkelio g. 6,

Vilnius LT-02100,

Lietuva



Dokumente susiūta ir antspauduota:

2 lapai
Vertėjas Oleg Nikitin

D DOMUS LINGUA
— VERTIMO PASLAUGOS —